

**SAVE ENERGY
SAVE MONEY**




◀ THERMIC FLUID HEATERS

- RANGE, 50,000 TO 20,00,000 KCAL / HR
- MAXIMUM SUPPLY TEMPERATURE - 300°C
- COIL FROM SEAMLESS PIPE ASTMA 106 GR-B
- AUTO / MANUAL OPERATION
- INDEPENDENT DRIVE FOR FUEL OIL PUMP
- THERMAL EFFICIENCY $87 \pm 2\%$ ON NCV
- NO CORROSION OR SCALE FORMATION
- EASY & ECONOMICAL OPERATION
- OUTSIDE PURVIEW OF IBR

STEAM BOILERS (NON IBR) ▶

- RANGE 100 TO 800 KG / HR
- SMOKE TUBE / WATER TUBE
- SEAMLESS ASTMA 106 GR-B PIPES
- THERMAL EFFICIENCY $86 \pm 2\%$ ON NCV
- EASY & ECONOMICAL OPERATION



◀ INDIRECT AIR HEATERS

- RANGE 60,000 TO 10,00,000 KCAL / HR
- MAX. TEMP : 180°C FOR STANDARD MODEL AND HIGHER TEMPERATURE RANGE WITH SPECIAL CONSTRUCTION
- FULLY AUTOMATIC OIL / GAS FIRED HIGH EFFICIENCY BURNER
- DIRECT FIRED HOT AIR GENERATOR UPTO 600°C




◀ FLUID BED DRYERS

- RANGE 15 TO 500 KG
- HEATING : ELECTRICAL
STEAM OR
THERMIC FLUID RADIATOR
- UNIFORM AND QUICK DRYING
- DRYING AT LOW TEMPERATURE
- SS 316 / 304, MS

TRAY DRYERS ▶

- RANGE 12 TO 200 TRAYS CAPACITY
- TRAY SIZE : 32" X 16" X 1 1/4"
- HEATING : ELECTRICAL / STEAM OR THERMIC FLUID
RADIATOR / OIL FIRED HOT AIR GENERATOR
- UNIFORM & QUICK DRYING
- MAXIMUM TEMPERATURE UPTO 550°C
- INSIDE M S / ALUMINIUM / S S 316 / 304
OR FRP LINED
- HIGH EFFICIENCY AXIAL FLOW FAN DESIGN GIVES
BETTER PERORMANCE.
- DIGITAL TEMPERATURE INDICATOR CUM CONTROLLER
GIVES ACCURATE TEMPERATURE CONTROL



OTHER PRODUCTS :

- CENTRIFUGAL AIR BLOWERS
- AXIAL FLOW FANS
- OIL / GAS / DUEL FUEL BURNERS



Aero Therm[®]
SYSTEMS PVT. LTD.

Plot No. 1517, Phase-III, GIDC,
Vatwa, Ahmedabad-382445. INDIA
Phone : 25890158
Fax : +91-79-25834987
Email : vadherad1@sancharnet.in
Website : www.aerothermsystem.com

**SAVE ENERGY
SAVE MONEY**




◀ INDUSTRIAL OVENS

- TEMPERATURE RANGES :
200°C, 400°C, 550°C, 750°C (ABOVE 750°C CUSTOM BUILT FURNACES ARE AVAILABLE)
- HEATING MEDIA : GAS/OIL, DIRECT OR INDIRECT FIRED, STEAM/THERMIC FLUID , ELECTRICAL
- EASY & ECONOMICAL OPERATION

INDIRECT AIR HEATERS ▶


- RANGE 60,000 TO 10,00,000 KCAL / HR
- MAX. TEMP : 180°C FOR STANDARD MODEL AND HIGHER TEMPERATURE RANGE WITH SPECIAL CONSTRUCTION
- FULLY AUTOMATIC OIL / GAS FIRED HIGH EFFICIENCY BURNER
- DIRECT FIRED HOT AIR GENERATOR UPTO 600°C



◀ INDIRECT AIR HEATERS

FOR FLEXIBLE PACKAGING INDUSTRIES

- SAVE RUNNING COST DRASTICALLY COMPARED TO ELECTRICAL HEATER
- SUITABLE CAPACITY FOR 4 COLOUR TO 16 COLOURS GRAVURE M/C, ALL TYPE LAMINATION M/C.
- MAX. TEMP : 100°C FOR STANDARD MODEL AND HIGHER TEMPERATURE RANGE WITH SPECIAL CONSTRUCTION
- FITTED WITH FULLY AUTOMATIC OIL / GAS FIRED HIGH EFFICIENCY BURNER



**SAVE ENERGY
SAVE MONEY**



**WATER TUBE PACKAGE
STEAM BOILERS (NON IBR)**

- RANGE 100 TO 600 KG / HR
- WATER TUBE CONSTRUCTION
- COIL FROM SEAMLESS ASTMA 106 GR-B PIPES
- THERMAL EFFICIENCY $86 \pm 2\%$ ON NCV
- EASY & ECONOMICAL OPERATION
- INSTANT STEAM GENERATION



**SMOKE TUBE
HORIZONTAL PACKAGE
STEAM BOILERS (NON IBR)**

- RANGE 100 TO 800 KG / HR
- SMOKE TUBE CONSTRUCTION
- SEAMLESS ASTMA 106 GR-B PIPES
- THERMAL EFFICIENCY $86 \pm 2\%$ ON NCV
- EASY & ECONOMICAL OPERATION



**SMOKE TUBE
VERTICAL PACKAGE
STEAM BOILERS (NON IBR)**

- RANGE 100 TO 300 KG/ HR
- SMOKE TUBE CONSTRUCTION
- SEAMLESS ASTMA 106 GR-B PIPES
- THERMAL EFFICIENCY $86 \pm 2\%$ ON NCV
- EASY & ECONOMICAL OPERATION



◀ THERMIC FLUID HEATERS

- RANGE, 50,000 TO 20,00,000 KCAL / HR
- MAXIMUM SUPPLY TEMPERATURE - 300°C
- COIL FROM SEAMLESS PIPE ASTMA 106 GR-B
- AUTO / MANUAL OPERATION
- INDEPENDENT DRIVE FOR FUEL OIL PUMP
- THERMAL EFFICIENCY 87 ± 2% ON NCV
- NO CORROSION OR SCALE FORMATION
- EASY & ECONOMICAL OPERATION
- OUTSIDE PURVIEW OF IBR
- FUEL : FO/LDO/NATURAL GAS/COAL/WOOD

HOT WATER GENERATORS ▶

- RANGE 60,000 TO 10,00,000 KCAL / HR
- MAX.Outlet TEMPERATURE 130°C HIGHER TEMPERATURE UPTO 225°C WITH SPECIAL CONSTRUCTION AND DESIGN
- COIL FROM SEAMLESS ASTMA 106 GR-B PIPES
- AUTO / MANUAL OPERATION
- INDEPENDENT DRIVE FOR FUEL PUMP
- NO SCALE FORMATION
- EASY & ECONOMICAL OPERATION
- OUT SIDE PURVIEW OF IBR
- FUEL : FO/LDO/NATURAL GAS/COAL/WOOD



OTHER PRODUCTS :

- CENTRIFUGAL AIR BLOWERS
- AXIAL FLOW FANS
- OIL / GAS / DUEL FUEL BURNERS


Aero Therm®
 SYSTEMS PVT. LTD.

Plot No. 1517, Phase-III, GIDC,
 Vatwa, Ahmedabad-382445, INDIA
 Phone : 25834987, 25890158
 Fax : +91-79-25834987
 Email : vadherad1@sancharnet.in
 website: www.aerothermsystem.com